

Table 1: Immunization Requirements

<i>Institution</i>	<i>Age</i>	<i>Vaccine</i>	<i>Total Doses Received</i>
Child care center, day nursery, nursery school, family day care home, development center	Less than 2 months	None	
Same as above	2–3 months	1. Polio ¹ 2. DTP..... 3. Hib..... 4. Hepatitis B.....	1 dose 1 dose 1 dose 1 dose
Same as above	4–5 months	1. Polio ¹ 2. DTP, or combination of DTP and diphtheria-tetanus toxoids..... 3. Hib..... 4. Hepatitis B.....	2 doses 2 doses 2 doses 2 doses
Same as above	6–14 months	1. Polio ¹ 2. DTP, or combination of DTP and diphtheria-tetanus toxoids..... 3. Hib..... 4. Hepatitis B.....	2 doses 3 doses 2 doses 2 doses
Same as above	15–17 months	1. Polio ¹ 2. DTP, or combination of DTP and diphtheria-tetanus toxoids..... 3. Measles, rubella, and mumps..... 4. Hib..... 5. Hepatitis B.....	3 doses 3 doses 1 dose of each separately or combined on or after the 1st birthday 1 dose at any age. (Changed from "On or after the 1st birthday.") 2 doses
Same as above	18 months–5 years	1. Polio ¹ 2. DTP, or combination of DTP and diphtheria-tetanus toxoids..... 3. Measles, rubella, and mumps..... 4. Hib ³ 5. Hepatitis B ² 6. Varicella.....	3 doses 4 doses 1 dose of each separately or combined on or after the 1st birthday 1 dose at any age. (Changed from "On or after the 1st birthday.") 3 doses 1 dose
Elementary school at kindergarten level and above	4–6 years	1. Polio ¹ 2. DTP, or combination of DTP and diphtheria-tetanus toxoids..... 3. Measles, rubella, and mumps..... 4. Hepatitis B ² 5. Varicella.....	4 doses, except that a total of 3 doses is acceptable if at least one dose was given on or after the 4th birthday 5 doses, except that a total of 4 doses is acceptable if at least one dose was given on or after the 4th birthday. 1 dose of each, separately or combined, on or after the 1st birthday. Pupils entering a kindergarten (or first grade if kindergarten skipped) are required to have 2 doses of measles-containing vaccine, both given on or after the first birthday 3 doses 1 dose
Elementary school, secondary school	7-17 years	1. Polio ¹ 2. Diphtheria and tetanus toxoids, given as DTP, DT, or Td (pertussis not required)..... 3. Measles and rubella (mumps not required)..... 4. Varicella ⁵	4 doses, except that a total of 3 doses is acceptable if at least one dose was given on or after the 2nd birthday At least 3 doses. One more Td dose is required if the last dose was given before the 2nd birthday. (See below for additional recommendations for 7th grade enrollment, effective 7/1/99.) 1 dose of each, separately or combined, on or after the 1st birthday. (See below for additional requirements for 7th grade enrollment, effective 7/1/99.) 1 dose aged 7 through 12 years for students not admitted to California schools before July 1, 2001. 2 doses for students aged 13 through 17 years not admitted to California schools before July 1, 2001.
Seventh Grade ⁴	Any	1. Hepatitis B..... 2. Measles..... Recommended but not required: Tetanus-diphtheria, given as DTP, DT, Td or Tetanus.....	3 doses 2 doses of measles-containing vaccine, both given on or after the first birthday. One Td dose is recommended if 5 years or more have elapsed since the last dose.
Any	18 years and older	None	

2010 Special Schedule affects ONLY the Hib vaccine

¹ Oral polio vaccine (OPV) or inactivated polio vaccine (IPV) or any combination of these vaccines is acceptable.
² Applies only to children entering at kindergarten level (or at first grade level if kindergarten skipped) or below on or after August 1, 1997.
³ Required only for children who have not reached the age of 4 years 6 months.
⁴ Applies only to children (of any age) entering or advancing to the seventh grade on or after July 1, 1999.
⁵ Children admitted to California schools at the Kindergarten level or above before July 1, 2001 are exempt from this requirement.

Table 2: Conditional Admission Immunization Schedule

<i>Vaccine</i>	<i>Dose</i>	<i>Time Intervals</i>
Polio ¹	1st dose..... 2nd dose..... 3rd dose..... 4th dose (Required only for entry to kindergarten level or above).....	Before admission As early as 6 weeks but no later than 10 weeks after the 1st dose. Before admission if 10 or more weeks have elapsed since the 1st dose at the time of admission. As early as 6 weeks but no later than 12 months after the 2nd dose. Before admission if 12 or more months have elapsed since the 2nd dose at the time of admission. Age 4-6 years: If the 3rd dose was given before the 4th birthday one more dose is required before admission. Age 7-17 years: If the 3rd dose was given before the 2nd birthday, one more dose is required before admission.
Diphtheria, Tetanus, and Pertussis FOR PUPILS UNDER AGE 7 YEARS: Diphtheria-tetanus-pertussis (DTP) or combination of DTP and diphtheria-tetanus toxoids OR FOR PUPILS AGE 7 YEARS AND OLDER: Diphtheria-tetanus (Pertussis not required)	1st dose..... 2nd dose..... 3rd dose..... 4th dose..... 5th dose (Required only for pupils ages 4-6 years for entry to kindergarten level and above)..... 1st dose..... 2nd dose..... 3rd dose..... 4th dose..... Recommended but not required for 7th grade entry ² : Booster dose of Td.....	Before admission. As early as 4 weeks but no later than 8 weeks after the 1st dose. Before admission if 8 or more weeks have elapsed since the 1st dose at the time of admission. As early as 4 weeks but no later than 8 weeks after the 2nd dose. Before admission if 8 or more weeks have elapsed since the 2nd dose at the time of admission. As early as 6 months but no later than 12 months after the 3rd dose. Before admission if 12 or more months have elapsed since the 3rd dose at the time of admission. If the 4th dose was given before the 4th birthday, one more dose is required before admission. Before admission. As early as 4 weeks but no later than 8 weeks after the 1st dose. Before admission if 8 or more weeks have elapsed since the 1st dose at the time of admission. As early as 6 months but no later than 12 months after the 2nd dose. Before admission if 12 or more months have elapsed since the 2nd dose at the time of admission. If the 3rd dose was given before the 2nd birthday, one more dose is required before admission. Before entry, 1 Td dose is recommended if 5 years or more have elapsed since the last dose of DTP, DT, Td or Tetanus.
Measles Note: For children entering kindergarten (or first grade if kindergarten is skipped) on or after August 1, 1997, two doses are required. For children entering 7th grade on or after July 1, 1999, the series shall be in process or completed.	One dose only..... 1st dose..... 2nd dose.....	Before admission. If the pupil is under age 15 months, this dose is required when age 15 months is reached. Before admission. As early as 1 month but no later than 3 months after the 1st dose.
Rubella	One dose only.....	Before admission. If the pupil is under age 15 months, this dose is required when age 15 months is reached.
Mumps (Not required for pupils age 7 years and older)	One dose only.....	Before admission. If the pupil is under age 15 months, this dose is required when age 15 months is reached.
Hib Children 2-14 months old	Two doses.....	1st dose before admission. 2nd dose as early as 2 months but no later than 3 months after the 1st dose.
Children 15 months–4 1/2 years old	One dose.....	At any age. (Changed from "Before admission.")
Hepatitis B—For children entering at kindergarten level (or first grade if kindergarten skipped) or below on or after August 1, 1997. For children entering 7th grade on or after July 1, 1999, the series shall be in process or completed.	1st dose..... 2nd dose..... 3rd dose.....	Before admission. As early as 1 month but no later than 2 months after the first dose. Infants and children under age 18 months: As early as 2 months but no later than 12 months after the 2nd dose. Also, no earlier than 4 months after the 1st dose. Children age 18 months and older: As early as 2 months but no later than 6 months after the 2nd dose. Also, no earlier than 4 months after the 1st dose.
Varicella ³ – For children aged 13 through 17 years not admitted to California schools before July 1, 2001.	1st dose..... 2nd dose.....	Before admission As early as 4 weeks but no longer than 3 months after first dose

2010 Special Schedule affects ONLY the Hib vaccine

¹ Oral polio vaccine (OPV) or inactivated polio vaccine (IPV) or any combination of these vaccines is acceptable.
² Applies only to children (of any age) entering or advancing to the 7th grade on or after July 1, 1999.
³ Children admitted to California schools at the Kindergarten level or above before July 1, 2001 are exempt from this requirement.



Educational Consortium Institute

Mailing Address:
PO Box 2434
Aptos, CA 95001 USA

Street Address:
450 McQuaide
La Selva Beach, CA
95001 USA

831-724-4800 Tel
831-724-4808 Fax
www.eci-ca.org

Insurance Requirements For International Students

Students are required by the U.S. government to have insurance in effect which covers them for illness or accidents for the entire term of their stay in the United States. **It is the responsibility of the participants family to purchase this policy prior to departure from his/her home country.** Proof of insurance must be submitted to ECI upon arrival of the student. If a student does not have health and accident insurance ECI will purchase a policy for the student and the cost of that insurance will be deducted from funds on deposit for that student.

Any participant in this program who fails to maintain the insurance coverage according to the standards set forth above or who willfully misrepresents the coverage he/she has secured will be required by law to return to his/her home country.

The requirements are:

Minimum coverage to exchange visitor participants and any accompanying spouse or dependent shall provide medical benefits of at least \$50,000 per accident or illness; repatriation of remains in the amount of \$7,500; expenses associated with medical evacuation to the exchange visitor's home country in the amount of \$10,000; and a deductible not exceeding \$500 per accident or illness. The insurance policy may include a reasonable waiting period for pre-existing conditions. Furthermore, the policy shall not unreasonably exclude coverage for perils inherent to the activities of the exchange program.

Maximum Medical Benefit \$100,000

Medical Evacuation \$50,000

Personal Injury or sickness \$50,000

Accidental Death \$10,000

Room and Board \$1,000 per day x 30 days = \$30,000 Surgery \$3,000